















MOULDin Oy










| Artikel-Nr. code | DE - ENG | Produkt product | Beschreibung discription | AMF Artikel-Nr. |
|---------------------|---|---|--|--------------------|
| 1130-014 T | Kraftspanner verschiebbar combined sliding clamp |  <p>NEU MIT 5.500 kg</p> <p>Clamp: Forged Steel Combined Sliding Clamp (For "T" Clamp)</p> | M12x14 (Small Model) | |
| 1130-016 T | | | M12x16 (Small Model) | |
| 1130-018 T | | | M12x18 (Small Model) | |
| 1130-020 T | | | M12x20 (Small Model) | |
| 1130-022 T | | | M12x22 (Small Model) | |
| 1150-118 T | | | M16x18 (Big Model) | |
| 1150-120 T | | | M16x20 (Big Model) | |
| 1150-122 T | | | M16x22 (Big Model) | |
| 1150-124 T | | | M16x24 (Big Model) | |
| 1150-128 T | | | M16x28 (Big Model) | |
| 1160-222 T | | | M20x22 (5500.kgf Model) | |
| 1160-224 T | | | M20x24 (5500.kgf Model) | |
| 1160-228 T | | | M24x28 (5500.kgf Model) | |
| 1160-232 T | | | M24x32 (5500.kgf Model) | |
| 1160-236 T | | | M30x36 (5500.kgf Model) | |
| 1130-014 DT | Kraftspanner verschiebb. combined sliding clamp |  <p>NEU MIT 5.500 kg</p> | M12x14 (Small Model) | |
| 1130-016 DT | | | M12x16 (Small Model) | |
| 1130-018 DT | | | M12x18 (Small Model) | |
| 1130-020 DT | | | M12x20 (Small Model) | |
| 1130-022 DT | | | M12x22 (Small Model) | |
| 1150-118 DT | | | M16x18 (Big Model) | |
| 1150-120 DT | | | M16x20 (Big Model) | |
| 1150-122 DT | | | M16x22 (Big Model) | |
| 1150-124 DT | | | M16x24 (Big Model) | |
| 1150-128 DT | | | M16x28 (Big Model) | |
| 1160-222 DT | | | M20x22 (5500.kgf Model) | |
| 1160-224 DT | | | M20x24 (5500.kgf Model) | |
| 1160-228 DT | | | M24x28 (5500.kgf Model) | |
| 1160-232 DT | | | M24x32 (5500.kgf Model) | |
| 1160-236 DT | | | M30x36 (5500.kgf Model) | |
| 1130-012 M | Kraftspanner K.K.S.P |  <p>NEU MIT 5.500 kg</p> | M12 (Small Model) | |
| 1130-016 M | | | M16 (Small Model) | |
| 1150-116 M | | | M16 (Big Model) | |
| 1150-118 M | | | M18 (Big Model) | |
| 1150-120 M | | | M20 (Big Model) | |
| 1160-220 M | | | M20 (5500.kgf Model) | |
| 1160-222 M | | | M22 (5500.kgf Model) | |
| 1160-224 M | | | M24 (5500.kgf Model) | |
| 1130-060 | Kraftspanner Oberteil upper slide group |  | Upper Slide Group (2000.kgf Model) | |
| 1150-062 | | | Upper Slide Group (2500.kgf Model) | |
| 1160-2080 | | | Upper Slide Group (5500.kgf Model) | |
| 1130-047 | Kraftspanner Grundelement body with bottom |  | K.K.S.P Body with Bottom "V" Slide (Small Model) | |
| 1150-053 | | | K.K.S.P Body with Bottom "V" Slide (Big Model) | |
| 1160-074 | | | K.K.S.P Body with Bottom "V" Slide (Big Model) | |
| 1130-045 | Kraftspanner Zwischenelement bottom support |  | K.K.S.P Bottom Support (Small Model) | |
| 1150-048 | | | K.K.S.P Bottom Support (Big Model) | |
| 1160-059 | | | K.K.S.P Bottom Support (Big Model) | |
| 1130-818 | Spannschraubensatz clamp lifting bolt and nut |  | K.K.S.P Clamp Lifting Bolt and Nut (Small Model) | |
| 1150-920 | | | K.K.S.P Clamp Lifting Bolt and Nut (Big Model) | |
| 1160-1024 | | | K.K.S.P Clamp Lifting Bolt and Nut (Big Model) | |
| 1130-412 | | | M12 (For Small Model) | |
| 1130-416 | | | M16 (For Small Model) | |
| 1150-516 | | | M16 (For Big Model) | |

| | | | | |
|--------------|---|--|---|-----------------------|
| 1150-518 | Inbusschraube inbus bolt |  | M18 (For Big Model) | |
| 1150-520 | | | M20 (For Big Model) | |
| 1160-620 | | | M20 (5500.kgf Model) | |
| 1160-622 | | | M22 (5500.kgf Model) | |
| 1160-624 | | | M24 (5500.kgf Model) | |
| 1160-724 | | | M24 (5500.kgf Model) | |
| 1160-730 | | | M30 (5500.kgf Model) | |
| 1130-614 | Befestigungssatz für Trägerelement fixing inbus bold and "T" |  | M12x14 (For Small Model) | |
| 1130-616 | | | M12x16 (For Small Model) | |
| 1130-618 | | | M12x18 (For Small Model) | |
| 1130-620 | | | M12x20 (For Small Model) | |
| 1130-622 | | | M12x22 (For Small Model) | |
| 1150-718 | | | M16x18 (For Big Model) | |
| 1150-720 | | | M16x20 (For Big Model) | |
| 1150-722 | | | M16x22 (For Big Model) | |
| 1150-724 | | | M16x24 (For Big Model) | |
| 1150-728 | | | M16x28 (For Big Model) | |
| 1160-822 | | | M20x22 (5500.kgf Model) | |
| 1160-824 | | | M22x24 (5500.kgf Model) | |
| 1160-828 | | | M24x28 (5500.kgf Model) | |
| 1160-832 | | | M24x32 (5500.kgf Model) | |
| 1160-836 | | | M30x36 (5500.kgf Model) | |
| 1130-DP | Spannbacke front press clamp |    | K.K.S.P Front Press Clamp (For Small Model) | |
| 1130-BSP | | | K.K.S.P Front Press Clamp (For Small Model) | |
| 1130-ESP | | | K.K.S.P Front Press Clamp (For Small Model) | |
| 1150-DP | | | K.K.S.P Front Press Clamp (For Big Model) | |
| 1150-BSP | | | K.K.S.P Front Press Clamp (For Big Model) | |
| 1150-ESP | | | K.K.S.P Front Press Clamp (For Big Model) | |
| 1160-DP | | | K.K.S.P Front Press Clamp (For Big Model) | |
| 1160-ESP | | | K.K.S.P Front Press Clamp (For Big Model) | |
| 1160-ESP | | | K.K.S.P Front Press Clamp (For Big Model) | |
| 1170-1010080 | Spanneisen abgeschrägt mit verstellbarer Stützschraube combined coupling clamps with adjustable support bolt |  | 10-35mm between the work piece is often | 70268 |
| 1170-1212100 | | | 12-40mm between the work piece is often | 70276 |
| 1170-1212125 | | | 12-85mm between the work piece is often | 72801 |
| 1170-1214100 | | | 12-40mm between the work piece is often | 70284 |
| 1170-1214125 | | | 12-85mm between the work piece is often | 72827 |
| 1170-1616125 | | | 15-50mm between the work piece is often | 70292 |
| 1170-1616160 | | | 15-85mm between the work piece is often | 72942 |
| 1170-1618125 | | | 15-50mm between the work piece is often | 70300 |
| 1170-1618160 | | | 15-85mm between the work piece is often | 73056 |
| 1170-2020160 | | | 15-45mm between the work piece is often | 70326 |
| 1170-2020200 | | | 15-80mm between the work piece is often | 73064 |
| 1170-2022160 | | | 15-45mm between the work piece is often | 70318 |
| 1170-2022200 | | | 15-80mm between the work piece is often | 73072 |
| 1170-2424160 | | | 16-60mm between the work piece is often | |
| 1170-2424200 | | | 16-95mm between the work piece is often | |
| 1170-2428160 | 16-60mm between the work piece is often | | | |
| 1170-2428200 | 16-95mm between the work piece is often | 373944 | | |
| 1190-1010100 | Spanneisen gekröpft mit verstellbarer Stützschraube combined coupling clamps with adjustable support bolt |  | 26-50mm between the work piece is often | 71274 |
| 1190-1212125 | | | 33-60mm between the work piece is often | 71282 |
| 1190-1214125 | | | 37-60mm between the work piece is often | 71290 |
| 1190-1616160 | | | 41-75mm between the work piece is often | 71308 |
| 1190-1618160 | | | 41-75mm between the work piece is often | 71316 |
| 1190-2020200 | | | 46-75mm between the work piece is often | 71332 |
| 1190-2022200 | | | 46-75mm between the work piece is often | 71324 |
| 1190-2424200 | | | 52-95mm between the work piece is often | |
| 1190-2428200 | | | 52-95mm between the work piece is often | |
| 1210-013 | Spannpratze stepped coupling clamp |  | M10-M12 / h 0-40 | 73932 |
| 1210-017 | | | M14-M16 / h 0-60 | 73940 |
| 1210-021 | | | M18-M20 / h 0-75 | 73957 |

| | | | | |
|------------|---|---|---|--------|
| 1210-025 | | | M22-M24 / h 0-90 | 73965 |
| 1230-01 | Stufenpratze stepped combined clamp |  | 40-80mm between the work piece is often | 74724 |
| 1230-02 | | | 70-125mm between the work piece is often | 74732 |
| 1230-03 | | | 120-175mm between the work piece is often | 74740 |
| 1230-04 | | | 170-225mm between the work piece is often | 74757 |
| 1250-02 | Spanneinheit combined coupling clam |  | 80-137mm between the work piece is often | |
| 1250-03 | | | 125-224mm between the work piece is often | |
| 1250-04 | | | 160-300mm between the work piece is often | |
| 1270-1012 | Spannpratze stufenlos verstellbar unsupported suspension clamp |  | 0 - 45mm between the work piece is often | |
| 1270-1214 | | | 0 - 45mm between the work piece is often | |
| 1270-1416 | | | 0 - 55mm between the work piece is often | |
| 1270-1618 | | | 0 - 55mm between the work piece is often | |
| 1275-3012 | Stufenpratze stepped coupling clam |  | h= 40-55 mm | |
| 1275-5012 | | | h= 45-60 mm | |
| 1275-5016 | | | h= 45-60 mm | |
| 1275-6016 | | | h= 45-60 mm | |
| 1280-3010 | Stufenpratze stepped coupling clamp |  | h= 0-30 mm | |
| 1280-5012 | | | h= 0-40 mm | |
| 1280-6016 | | | noch höher mit Artikel-Nr.1285 higher with the article 1285 | |
| 1282-0825 | Druckschraube mit beweglichem Kopf pivoting head pad printing |  | passend zu Artikeln 1275 + 1280 compatibel with the articles 1275 + 1285 | 374462 |
| 1282-1030 | | | | 73734 |
| 1282-1235 | | | | 73742 |
| 1282-1642 | | | | 73759 |
| 1283-0825 | Druckschraube mit beweglichem Kopf pivoting head pad printing |  | passend zu Artikeln 1275 + 1280 compatibel with the articles 1275 + 1285 | 75432 |
| 1283-1030 | | | | 73767 |
| 1283-1235 | | | | 73775 |
| 1283-1642 | | | | 73783 |
| 1285-12080 | Distanzhülse support to the hive |  | für Artikel 1280 for the article 1280 | |
| 1285-12100 | | | | |
| 1285-16080 | | | | |
| 1285-16100 | | | | |
| 1290-06050 | Spanneisen mit Treppenzähnen serrated thread clamp |  | M6 - 1/4" stud for use with | |
| 1290-06080 | | | M8 - 5/16" stud for use with | |
| 1290-08060 | | | M10 - 3/8" stud for use with | |
| 1290-08100 | | | | |
| 1290-10080 | | | | |
| 1290-10100 | | | | |
| 1290-12100 | | | M12 - M14 - 1/2" stud for use with | |
| 1290-12125 | | | | |
| 1290-16125 | | | M16 - M18 - 5/8" stud for use with | |
| 1290-16160 | | | | |
| 1310-01 | Spannunterlagen mit Treppenzähnen serrated thread support | | 0 - 85 mm lifting the distance | |
| 1310-02 | | | 0 - 112 mm lifting the distance | |
| 1310-03 | | | 0 - 139 mm lifting the distance | |
| 1310-04 | | | 0 - 165 mm lifting the distance | |
| 1330-06050 | Spanneisen mit Stützgewinde straight clamp with support hole | | M6 - 1/4" stud for use with | |
| 1330-08060 | | | M8 - 5/16" stud for use with | |
| 1330-10080 | | | M10 - 3/8" stud for use with | 70177 |
| 1330-12100 | | | | 70193 |
| 1330-12125 | | | M12 - M14 - 1/2" stud for use with | 70821 |
| 1330-16125 | | | | 70219 |
| 1330-16160 | | | M16 - M18 - 5/8" stud for use with | 70839 |
| 1330-20160 | | | | 70201 |
| 1330-20200 | | | M20 - M22 - 3/4" stud for use with | 70847 |
| 1330-20250 | | | | |
| 1330-24160 | | | | |
| 1330-24200 | | | | 70151 |
| 1330-24250 | | | M24 - 1" stud for use with | 373928 |
| 1330-24315 | | | | |

| | | | | |
|-------------|---|---|--------------------------------------|--------|
| 1330-30250 | | | M30 - 1 1/4" stud for use with | |
| 1330-30315 | | | | 374405 |
| 1330-36400 | | | M36 - M42 - 1 1/2" stud for use with | 374439 |
| 1350-06050 | Spanneisen gerade straight clamp |  | M6 - 1/4" stud for use with | 70003 |
| 1350-08060 | | | M8 - 5/16" stud for use with | 70011 |
| 1350-10080 | | | M10 - 3/8" stud for use with | 70029 |
| 1350-12100 | | | M12 - M14 - 1/2" stud for use with | 70037 |
| 1350-12125 | | | | 70045 |
| 1350-16125 | | | M16 - M18 - 5/8" stud for use with | 70052 |
| 1350-16160 | | | | 70060 |
| 1350-20160 | | | M20 - M22 - 3/4" stud for use with | 70078 |
| 1350-20200 | | | | 70086 |
| 1350-24200 | | | M24 - 1" stud for use with | 70094 |
| 1350-24250 | | | | 70102 |
| 1350-30250 | | | M30 - 1 1/4" stud for use with | 70110 |
| 1350-30315 | | | | 70128 |
| 1350-36400 | | | M36 - M42 - 1 1/2" stud for use with | 70136 |
| 1370-10080 | Stufenspanneisen mit Stützgewinde straight clamp with stepped support hole |  | M10 - 3/8" stud for use with | |
| 1370-12100 | | | M12 - M14 - 1/2" stud for use with | 74567 |
| 1370-12125 | | | M16 - M18 - 5/8" stud for use with | 74575 |
| 1370-16125 | | | | |
| 1370-16160 | | | M20 - M22 - 3/4" stud for use with | 74583 |
| 1370-20160 | | | | |
| 1370-20200 | | | M24 - 1" stud for use with | |
| 1370-24160 | | | | |
| 1370-24200 | | | | |
| 1370-24250 | | | | |
| 1387-12070 | Platten-Spanneisen gekröpft |  | M12 - M14 - 1/2" stud for use with | |
| 1387-16070 | Plate Sliding Clamp | | M16 - M18 - 5/8" stud for use with | |
| 1390-06060 | Gabelspanneisen abgeschrägt bifurcated clamp |  | M6 - 1/4" stud for use with | 70466 |
| 1390-08080 | | | M8 - 5/16" stud for use with | 70474 |
| 1390-10100 | | | M10 - 3/8" stud for use with | 70482 |
| 1390-12125 | | | M12 - M14 - 1/2" stud for use with | 70490 |
| 1390-12160 | | | | 70508 |
| 1390-12200 | | | M16 - M18 - 5/8" stud for use with | 70516 |
| 1390-16160 | | | | 70524 |
| 1390-16200 | | | M20 - M22 - 3/4" stud for use with | 70532 |
| 1390-16250 | | | | 70540 |
| 1390-20200 | | | M24 - 1" stud for use with | 70557 |
| 1390-20250 | | | | 70565 |
| 1390-20315 | | | M30 - 1 1/4" stud for use with | 70573 |
| 1390-20500 | | | | 70425 |
| 1390-24200 | | | M36 - M42 - 1 1/2" stud for use with | 70581 |
| 1390-24250 | | | | 70599 |
| 1390-24315 | | | M36 - M42 - 1 1/2" stud for use with | 70607 |
| 1390-24500 | | | | 70433 |
| 1390-30250 | | | M30 - 1 1/4" stud for use with | 70615 |
| 1390-30315 | | | | 70623 |
| 1390-30400 | | | M36 - 1 1/2" stud for use with | 70631 |
| 1390-30600 | | | | 70441 |
| 1390-301000 | | | M36 - M42 - 1 1/2" stud for use with | 70458 |
| 1390-36400 | | | | 70649 |
| 1390-36600 | | | M36 - M42 - 1 1/2" stud for use with | 70656 |
| 1390-42600 | 70672 | | | |
| 1400-10100 | Gabelspanneisen mit Stufe und Stützgewinde |  | M10 - 3/8" stud for use with | 71167 |
| 1400-12125 | bifurcated clamp with stepped support hole |  | M12 - M14 - 1/2" stud for use with | 71175 |
| 1400-16160 | | | M16 - M18 - 5/8" stud for use with | 71191 |
| 1400-20200 | | | M20 - M22 - 3/4" stud for use with | 71258 |
| 1410-10100 | Gabelspanneisen |  | M10 - 3/8" stud for use with | |

| | | | | | | |
|-------------|--|---|--|---|--------------------------------|-----------------------|
| 1410-12125 | Stützgewinde |  | M12 - M14 - 1/2" stud for use with | | | |
| 1410-16160 | bifurcated clamp with support hole | | M16 - M18 - 5/8" stud for use with | | | |
| 1410-20200 | | | M20 - M22 - 3/4" stud for use with | | | |
| 1450-06060 | Spanneisen gekröpft mit Stützgewinde Z-type cranked clamp with support hole |  | M6 - 1/4" stud for use with | 71027 | | |
| 1450-08080 | | | M8 - 5/16" stud for use with | 71035 | | |
| 1450-10100 | | | M10 - 3/8" stud for use with | 71043 | | |
| 1450-12125 | | | M12 - M14 - 1/2" stud for use with | 71050 | | |
| 1450-16125 | | | M16 - M18 - 5/8" stud for use with | 71068 | | |
| 1450-16160 | | | | 71076 | | |
| 1450-20160 | | | M20 - M22 - 3/4" stud for use with | 71084 | | |
| 1450-20200 | | | | 71092 | | |
| 1450-24160 | | | M24 - 1" stud for use with | 71100 | | |
| 1450-24200 | | | | 71118 | | |
| 1450-30250 | | | M30 - 1 1/4" stud for use with | 71126 | | |
| 1450-30315 | | | | 71134 | | |
| 1470-08100 | | | Gabelspanneisen mit rundem Spannansatz forked clamp with pin head |  | M8 - 5/16" stud for use with | 70706 |
| 1470-10125 | M10 - 3/8" stud for use with | 70714 | | | | |
| 1470-12160 | M12 - M14 - 1/2" stud for use with | 70722 | | | | |
| 1470-12200 | | 70730 | | | | |
| 1470-16200 | M16 - M18 - 5/8" stud for use with | 70748 | | | | |
| 1470-16250 | | 70755 | | | | |
| 1470-20250 | M20 - M22 - 3/4" stud for use with | 70763 | | | | |
| 1470-20315 | | 70771 | | | | |
| 1470-24250 | M24 - 1" stud for use with | 70789 | | | | |
| 1470-24315 | | 70797 | | | | |
| 1470-30315 | M30 - 1 1/4" stud for use with | 70805 | | | | |
| 1470-30400 | | 70813 | | | | |
| 1490-10042 | Stützschaube clamp support bolt |  | | | M10 x 50mm | 73437 |
| 1490-12050 | | | M12 x 60mm | 73445 | | |
| 1490-12095 | | | M12 x 105mm | 74039 | | |
| 1490-16062 | | | M16 x 75mm | 73452 | | |
| 1490-16097 | | | M16 x 110mm | 74047 | | |
| 1490-16117 | | | M16 x 130mm | | | |
| 1490-20062 | | | M20 x 75mm | 73460 | | |
| 1490-20097 | | | M20 x 110mm | | | |
| 1490-20117 | | | M20 x 130mm | 74054 | | |
| 1490-24081 | | | M24 x 95mm | 73478 | | |
| 1490-24116 | | | M24 x 130mm | 74062 | | |
| 1510-023030 | | | Höhen-Richtsraubstock trapeze thread lifter support |  | 23 - 30mm lifting the distance | |
| 1510-040060 | | | | | 40 - 60mm lifting the distance | 72397 |
| 1510-042052 | 42 - 52mm lifting the distance | 72389 | | | | |
| 1510-050070 | 50 - 70mm lifting the distance | 72405 | | | | |
| 1510-070100 | 70 - 100mm lifting the distance | 72413 | | | | |
| 1510-100140 | 100 - 140mm lifting the distance | 72421 | | | | |
| 1510-140220 | 140 - 220mm lifting the distance | 72439 | | | | |
| 1510-210330 | 210 - 330mm lifting the distance | 72447 | | | | |
| 1510-260430 | 260 - 430mm lifting the distance | | | | | |
| 1515-065085 | Höhenrichtschraubblock mit Magnetfuß |  | für horizontales Spannen for the horizontal clamping | 86520 | | |
| 1515-085125 | magnetic screw booster | | | 86538 | | |
| 1520-050063 | Richtkeil support block |  | für schwere Gewichte for the heavy weights | 72777 | | |
| 1520-100125 | | | | 72785 | | |
| 1520-170190 | | | | 72793 | | |
| 1530-200 | Schraubblock mit Trapezgewinde trapeze thread lifter support |  | 200 - 300mm lifting the distance | 72637 | | |
| 1530-280 | | | 280 - 460mm lifting the distance | 72645 | | |
| 1530-430 | | | 430 - 750mm lifting the distance | 72652 | | |
| 1530-710 | | | 710 - 1250mm lifting the distance | 72660 | | |
| | | | | | | |

| | | | | |
|--------------|---|--|----------------------------------|-----------------------|
| 1550-100 | Schraubblock mit Trapezgewinde trapeze thread lifter support |  | 100 - 140mm lifting the distance | 72553 |
| 1550-140 | | | 140 - 200mm lifting the distance | 72561 |
| 1550-200 | | | 200 - 320mm lifting the distance | 72579 |
| 1550-320 | | | 320 - 550mm lifting the distance | 72587 |
| 1555- | Kugelaufsatz rad-top support |  | Trapeze Thread Lifter Spare Part | 72710 |
| 1560- | Aufsatz mit drehbarer Kugel ball support |  | Trapeze Thread Lifter Spare Part | 72819 |
| 1565- | Pinnaufsatz "V" clamping block |  | Trapeze Thread Lifter Spare Part | 72728 |
| 1570- | Fixieraufsatz pin support |  | Trapeze Thread Lifter Spare Part | 72752 |
| 1575- | Zentrierplatte centering plate |  | Trapeze Thread Lifter Spare Part | 72736 |
| 1580-050 | Treppenblock stepped support |  | 13-52mm lifting the distance | |
| 1580-060 | | | 16-64mm lifting the distance | |
| 1580-070 | | | 19-76mm lifting the distance | |
| 1585-050 | gezahnte Spannunterlagen serrated thread combined support |  | 110 - 150mm lifting the distance | 73379 |
| 1585-060 | | | 150 - 220mm lifting the distance | 73387 |
| 1585-080 | | | 220 - 340mm lifting the distance | 73395 |
| 1590-1010040 | Schraube für T-Nut T-slot bolt |  | M10x10x40mm | 84046 |
| 1590-1010063 | | | M10x10x63mm | 80390 |
| 1590-1010080 | | | M10x10x80mm | 81323 |
| 1590-1010100 | | | M10x10x100mm | 80408 |
| 1590-1012050 | | | M10x12x50mm | |
| 1590-1012063 | | | M10x12x63mm | |
| 1590-1012080 | | | M10x12x80mm | |
| 1590-1012100 | | | M10x12x100mm | |
| 1590-1012125 | | | M10x12x125mm | |
| 1590-1012160 | | | M10x12x160mm | |
| 1590-1012200 | | | M10x12x200mm | |
| 1590-1212050 | | | M12x12x50mm | 80416 |
| 1590-1212063 | | | M12x12x63mm | 85605 |
| 1590-1212080 | | | M12x12x80mm | 80424 |
| 1590-1212100 | | | M12x12x100mm | 81406 |
| 1590-1212125 | | | M12x12x125mm | 80432 |
| 1590-1212160 | | | M12x12x160mm | 81497 |
| 1590-1212200 | | | M12x12x200mm | 80440 |
| 1590-1214050 | | | M12x14x50mm | 80457 |
| 1590-1214063 | | | M12x14x63mm | 85613 |
| 1590-1214080 | | | M12x14x80mm | 80465 |
| 1590-1214100 | | | M12x14x100mm | 81851 |
| 1590-1214125 | | | M12x14x125mm | 80473 |
| 1590-1214160 | | | M12x14x160mm | 82966 |
| 1590-1214200 | | | M12x14x200mm | 80481 |
| 1590-1416063 | | | M14x16x63mm | 80499 |
| 1590-1416080 | | | M14x16x80mm | 84426 |
| 1590-1416100 | M14x16x100mm | 80507 | | |
| 1590-1416125 | M14x16x125mm | 84434 | | |
| 1590-1416160 | M14x16x160mm | 80515 | | |
| 1590-1416200 | M14x16x200mm | | | |
| 1590-1416250 | M14x16x250mm | 80523 | | |
| 1590-1616063 | M16x16x63mm | 80531 | | |
| 1590-1616080 | M16x16x80mm | 85621 | | |
| 1590-1616100 | M16x16x100mm | 80549 | | |
| 1590-1616125 | M16x16x125mm | 84384 | | |
| 1590-1616160 | M16x16x160mm | 80556 | | |
| 1590-1616200 | M16x16x200mm | 85647 | | |
| 1590-1616250 | M16x16x250mm | 80564 | | |
| 1590-1618063 | M16x18x63mm | 80572 | | |
| 1590-1618080 | M16x18x80mm | 85639 | | |
| 1590-1618100 | M16x18x100mm | 80580 | | |

| | | | | |
|--------------|--------------------|--|--------------|-------|
| 1590-1618125 | | | M16x18x125mm | 84400 |
| 1590-1618160 | | | M16x18x160mm | 80598 |
| 1590-1618200 | | | M16x18x200mm | 85654 |
| 1590-1618250 | Schraube für T-Nut | | M16x18x250mm | 80606 |
| 1590-1820080 | | | M18x20x80mm | |
| 1590-1820100 | T-slot bolt | | M18x20x100mm | |
| 1590-1820125 | | | M18x20x125mm | |
| 1590-1820160 | | | M18x20x160mm | |
| 1590-1820200 | | | M18x20x200mm | |
| 1590-1820250 | | | M18x20x250mm | |
| 1590-1820315 | | | M18x20x315mm | |
| 1590-2020080 | | | M20x20x80mm | 84103 |
| 1590-2020100 | | | M20x20x100mm | 84053 |
| 1590-2020125 | | | M20x20x125mm | 84111 |
| 1590-2020160 | | | M20x20x160mm | 85662 |
| 1590-2020200 | | | M20x20x200mm | 84129 |
| 1590-2020250 | | | M20x20x250mm | 84079 |
| 1590-2020315 | | | M20x20x315mm | 84137 |
| 1590-2022080 | Schraube für T-Nut | | M20x22x80mm | 80614 |
| 1590-2022100 | | | M20x22x100mm | 85829 |
| 1590-2022125 | T-slot bolt | | M20x22x125mm | 80622 |
| 1590-2022160 | | | M20x22x160mm | 85670 |
| 1590-2022200 | | | M20x22x200mm | 80630 |
| 1590-2022250 | | | M20x22x250mm | 85845 |
| 1590-2022315 | | | M20x22x315mm | 80648 |
| 1590-2224080 | | | M22x24x80mm | |
| 1590-2224100 | | | M22x24x100mm | |
| 1590-2224125 | | | M22x24x125mm | |
| 1590-2224160 | | | M22x24x160mm | |
| 1590-2224200 | | | M22x24x200mm | |
| 1590-2224250 | | | M22x24x250mm | |
| 1590-2224315 | | | M22x24x315mm | |
| 1590-2424100 | | | M24x24x100mm | 80770 |
| 1590-2424125 | Schraube für T-Nut | | M24x24x125mm | 85688 |
| 1590-2424160 | | | M24x24x160mm | 80788 |
| 1590-2424200 | | | M24x24x200mm | 85704 |
| 1590-2424250 | T-slot bolt | | M24x24x250mm | 80796 |
| 1590-2424315 | | | M24x24x315mm | 84061 |
| 1590-2424400 | | | M24x24x400mm | 80804 |
| 1590-2428100 | | | M24x28x100mm | 80655 |
| 1590-2428125 | | | M24x28x125mm | 85696 |
| 1590-2428160 | | | M24x28x160mm | 80663 |
| 1590-2428200 | | | M24x28x200mm | 85712 |
| 1590-2428250 | | | M24x28x250mm | 80671 |
| 1590-2428315 | | | M24x28x315mm | 84087 |
| 1590-2428400 | | | M24x28x400mm | 80689 |
| 1590-2428500 | | | M24x28x500mm | |
| 1590-3036125 | | | M30x36x125mm | 80697 |
| 1590-3036160 | | | M30x36x160mm | 85720 |
| 1590-3036200 | Schraube für T-Nut | | M30x36x200mm | 80705 |
| 1590-3036250 | | | M30x36x250mm | 85738 |
| 1590-3036315 | | | M30x36x315mm | 80713 |
| 1590-3036500 | T-slot bolt | | M30x36x500mm | 80721 |
| 1590-3642160 | | | M36x42x160mm | 80739 |
| 1590-3642250 | | | M36x42x250mm | 80747 |
| 1590-3642400 | | | M36x42x400mm | 80754 |
| 1590-3642600 | | | M36x42x600mm | 80762 |
| 1590-4248160 | | | M42x48x160mm | 84145 |
| 1590-4248250 | | | M42x48x250mm | 84152 |
| 1590-4248400 | | | M42x48x400mm | 84160 |

| | | | | |
|--------------|--|--|--------------|-------|
| 1610-1010040 | | | M10x10x40mm | 84244 |
| 1610-1010063 | | | M10x10x63mm | 80838 |
| 1610-1010080 | | | M10x10x80mm | 81356 |
| 1610-1010100 | | | M10x10x100mm | 80846 |
| 1610-1012050 | | | M10x12x50mm | |
| 1610-1012063 | | | M10x12x63mm | |
| 1610-1012080 | | | M10x12x80mm | |
| 1610-1012100 | | | M10x12x100mm | |
| 1610-1012125 | | | M10x12x125mm | |
| 1610-1012160 | | | M10x12x160mm | |
| 1610-1012200 | | | M10x12x200mm | |
| 1610-1212050 | | | M12x12x50mm | 80853 |
| 1610-1212063 | | | M12x12x63mm | 85746 |
| 1610-1212080 | | | M12x12x80mm | 80861 |
| 1610-1212100 | | | M12x12x100mm | 81448 |
| 1610-1212125 | | | M12x12x125mm | 80879 |
| 1610-1212160 | | | M12x12x160mm | 81505 |
| 1610-1212200 | | | M12x12x200mm | 80887 |
| 1610-1214050 | | | M12x14x50mm | 80895 |
| 1610-1214063 | | | M12x14x63mm | 85753 |
| 1610-1214080 | | | M12x14x80mm | 80903 |
| 1610-1214100 | | | M12x14x100mm | 82974 |
| 1610-1214125 | | | M12x14x125mm | 80911 |
| 1610-1214160 | | | M12x14x160mm | 84376 |
| 1610-1214200 | | | M12x14x200mm | 80929 |
| 1610-1416063 | | | M14x16x63mm | 80937 |
| 1610-1416080 | | | M14x16x80mm | 84442 |
| 1610-1416100 | | | M14x16x100mm | 80945 |
| 1610-1416125 | | | M14x16x125mm | 84459 |
| 1610-1416160 | | | M14x16x160mm | 80952 |
| 1610-1416200 | | | M14x16x200mm | |
| 1610-1416250 | | | M14x16x250mm | 80960 |
| 1610-1616063 | | | M16x16x63mm | 80978 |
| 1610-1616080 | | | M16x16x80mm | 85761 |
| 1610-1616100 | | | M16x16x100mm | 80986 |
| 1610-1616125 | | | M16x16x125mm | 84392 |
| 1610-1616160 | | | M16x16x160mm | 80994 |
| 1610-1616200 | | | M16x16x200mm | 85779 |
| 1610-1616250 | | | M16x16x250mm | 81000 |
| 1610-1618063 | | | M16x18x63mm | 81018 |
| 1610-1618080 | | | M16x18x80mm | 85787 |
| 1610-1618100 | | | M16x18x100mm | 81026 |
| 1610-1618125 | | | M16x18x125mm | 84418 |
| 1610-1618160 | | | M16x18x160mm | 81034 |
| 1610-1618200 | | | M16x18x200mm | 85795 |
| 1610-1618250 | | | M16x18x250mm | 81042 |
| 1610-1820080 | | | M18x20x80mm | |
| 1610-1820100 | | | M18x20x100mm | |
| 1610-1820125 | | | M18x20x125mm | |
| 1610-1820160 | | | M18x20x160mm | |
| 1610-1820200 | | | M18x20x200mm | |
| 1610-1820250 | | | M18x20x250mm | |
| 1610-1820315 | | | M18x20x315mm | |
| 1610-2020080 | | | M20x20x80mm | 84301 |
| 1610-2020100 | | | M20x20x100mm | 81547 |
| 1610-2020125 | | | M20x20x125mm | 84319 |
| 1610-2020160 | | | M20x20x160mm | 85803 |
| 1610-2020200 | | | M20x20x200mm | 84327 |
| 1610-2020250 | | | M20x20x250mm | 81562 |
| 1610-2020315 | | | M20x20x315mm | 84335 |

Schraube mit
Sechskantmutter und
Scheibe für T-Nut

T-slot bolt with nut and
washer




Schraube mit
Sechskantmutter und
Scheibe für T-Nut



T-slot bolt with nut and
washer






Schraube mit
Sechskantmutter und
Scheibe für T-Nut



T-slot bolt with nut and
washer



| | | | | | |
|--------------|--|---|---|--------------|-------|
| 1610-2022080 | Schraube mit Sechskantmutter und Scheibe für T-Nut |  | M20x22x80mm | 81059 | |
| 1610-2022100 | | | M20x22x100mm | 85837 | |
| 1610-2022125 | | | M20x22x125mm | 81067 | |
| 1610-2022160 | | | M20x22x160mm | 85811 | |
| 1610-2022200 | | | M20x22x200mm | 81075 | |
| 1610-2022250 | | | M20x22x250mm | 85852 | |
| 1610-2022315 | | | M20x22x315mm | 81083 | |
| 1610-2224080 | | | T-slot bolt with nut and washer | M22x24x80mm | |
| 1610-2224100 | | | | M22x24x100mm | |
| 1610-2224125 | | | | M22x24x125mm | |
| 1610-2224160 | | | | M22x24x160mm | |
| 1610-2224200 | | | | M22x24x200mm | |
| 1610-2224250 | | | | M22x24x250mm | |
| 1610-2224315 | | | | M22x24x315mm | |
| 1610-2424100 | | | | M24x24x100mm | 81216 |
| 1610-2424125 | | | | M24x24x125mm | 85860 |
| 1610-2424160 | | | | M24x24x160mm | 81224 |
| 1610-2424200 | | | M24x24x200mm | 85878 | |
| 1610-2424250 | | | M24x24x250mm | 81232 | |
| 1610-2424315 | | | M24x24x315mm | 81588 | |
| 1610-2424400 | | | M24x24x400mm | 81240 | |
| 1610-2428100 | | | M24x28x100mm | 81091 | |
| 1610-2428125 | | | M24x28x125mm | 85886 | |
| 1610-2428160 | | | M24x28x160mm | 81109 | |
| 1610-2428200 | | | M24x28x200mm | 85894 | |
| 1610-2428250 | | | M24x28x250mm | 81117 | |
| 1610-2428315 | | | M24x28x315mm | 81604 | |
| 1610-2428400 | | | M24x28x400mm | 81125 | |
| 1610-2428500 | | | M24x28x500mm | | |
| 1610-3036125 | | | T-slot bolt with nut and washer | M30x36x125mm | 81133 |
| 1610-3036160 | | | | M30x36x160mm | 85902 |
| 1610-3036200 | | | | M30x36x200mm | 81141 |
| 1610-3036250 | | | | M30x36x250mm | 85910 |
| 1610-3036315 | | | | M30x36x315mm | 81158 |
| 1610-3036500 | | | | M30x36x500mm | 81166 |
| 1610-3642160 | | | | M36x42x160mm | 81174 |
| 1610-3642250 | | | | M36x42x250mm | 81182 |
| 1610-3642400 | | | | M36x42x400mm | 81190 |
| 1610-3642600 | | | | M36x42x600mm | 81208 |
| 1610-4248160 | | | M42x48x160mm | 84178 | |
| 1610-4248250 | | | M42x48x250mm | 84186 | |
| 1610-4248400 | | | M42x48x400mm | 84194 | |
| 1630-2022200 | Schraubeneinheit für T-Nut |  | M20x22x200mm (25 - 75mm between the work piece is often) | | |
| 1630-2022250 | | | M20x22x250mm (70 - 120mm between the work piece is often) | | |
| 1630-2424200 | | | M24x24x200mm (25 - 75mm between the work piece is often) | | |
| 1630-2424250 | | | M24x24x250mm (70 - 120mm between the work piece is often) | | |
| 1630-2428200 | | | M24x28x200mm (25 - 75mm between the work piece is often) | | |
| 1630-2428250 | | | M24x28x250mm (70 - 120mm between the work piece is often) | | |
| 1630-3036200 | | | M30x36x200mm (25 - 75mm between the work piece is often) | | |
| 1630-3036250 | | | M30x36x250mm (70 - 120mm between the work piece is often) | | |
| 1650-1214050 | Rhombusschraube |  | M12x14x50mm | 87296 | |
| 1650-1214080 | | | M12x14x80mm | 87312 | |
| 1650-1214125 | | | M12x14x125mm | 87338 | |
| 1650-1618063 | | | M16x18x63mm | 87353 | |
| 1650-1618100 | | | M16x18x100mm | 87379 | |
| 1650-1618160 | | | M16x18x160mm | 87395 | |
| 1650-2022080 | | | graded T-slot bolt | M20x22x80mm | 86793 |
| 1650-2022125 | | | | M20x22x125mm | 86801 |
| 1650-2022200 | | | | M20x22x200mm | 86819 |
| 1650-2428100 | | | | M24x28x100mm | 86827 |

| | | | | |
|--------------|---|--|--------------|-------|
| 1650-2428125 | | | M24x28x125mm | 86959 |
| 1650-2428250 | | | M24x28x250mm | 87114 |
| 1670-12130 | Schraube mit Schlüsselweite für T-Nut wrench mouth stud |  | M12x130mm | |
| 1670-12160 | | | M12x160mm | |
| 1670-14130 | | | M14x130mm | |
| 1670-14160 | | | M14x160mm | |
| 1670-16140 | | | M16x140mm | |
| 1670-16160 | | | M16x160mm | |
| 1670-18150 | | | M18x150mm | |
| 1670-18180 | | | M18x180mm | |
| 1670-20150 | | | M20x150mm | |
| 1670-20180 | | | M20x180mm | |
| 1670-22150 | | | M22x150mm | |
| 1670-22180 | | | M22x180mm | |
| 1670-24170 | | | M24x170mm | |
| 1670-24205 | | | M24x205mm | |
| 1670-24250 | | | M24x250mm | |
| 1690-08040 | Stiftschraube straight stud |  | M8x40mm | 81257 |
| 1690-08063 | | | M8x63mm | 84806 |
| 1690-08080 | | | M8x80mm | 81273 |
| 1690-08100 | | | M8x100mm | 84814 |
| 1690-08125 | | | M8x125mm | 84756 |
| 1690-08160 | | | M8x160mm | 84822 |
| 1690-10050 | | | M10x50mm | 81229 |
| 1690-10063 | | | M10x63mm | |
| 1690-10080 | | | M10x80mm | 84830 |
| 1690-10100 | | | M10x100mm | 86041 |
| 1690-10125 | | | M10x125mm | 81315 |
| 1690-10160 | | | M10x160mm | 85928 |
| 1690-10200 | | | M10x200mm | 84848 |
| 1690-12050 | | | M12x50mm | 84855 |
| 1690-12063 | | | M12x63mm | 81331 |
| 1690-12080 | | | M12x80mm | 84863 |
| 1690-12100 | | | M12x100mm | 81349 |
| 1690-12125 | | | M12x125mm | 84871 |
| 1690-12160 | | | M12x160mm | 85480 |
| 1690-12200 | | | M12x200mm | 84889 |
| 1690-14063 | | | M14x63mm | 81372 |
| 1690-14080 | | | M14x80mm | 84467 |
| 1690-14100 | | | M14x100mm | 81380 |
| 1690-14125 | | | M14x125mm | 84475 |
| 1690-14160 | | | M14x160mm | 81398 |
| 1690-14200 | | | M14x200mm | 86553 |
| 1690-14250 | | | M14x250mm | 84897 |
| 1690-16063 | | | M16x63mm | 84905 |
| 1690-16080 | | | M16x80mm | 81414 |
| 1690-16100 | | | M16x100mm | 84913 |
| 1690-16125 | M16x125mm | 81422 | | |
| 1690-16160 | M16x160mm | 84921 | | |
| 1690-16200 | M16x200mm | 85498 | | |
| 1690-16250 | M16x250mm | 84939 | | |
| 1690-16315 | M16x315mm | 85548 | | |
| 1690-16500 | M16x500mm | 85472 | | |
| 1690-18080 | M18x80mm | 84947 | | |
| 1690-18100 | M18x100mm | 84954 | | |
| 1690-18125 | M18x125mm | 84954 | | |
| 1690-18160 | M18x160mm | 86561 | | |
| 1690-18200 | M18x200mm | 81471 | | |
| 1690-18250 | M18x250mm | 81489 | | |
| 1690-18315 | M18x315mm | 84962 | | |

| | | | | | | |
|-------------|--|---|---|---|-----------|-------|
| 1690-20080 | Stiftschraube straight stud |  | M20x80mm | 84970 | | |
| 1690-20100 | | | M20x100mm | | | |
| 1690-20125 | | | M20x125mm | 84988 | | |
| 1690-20160 | | | M20x160mm | 85506 | | |
| 1690-20200 | | | M20x200mm | 81513 | | |
| 1690-20250 | | | M20x250mm | 81521 | | |
| 1690-20315 | | | M20x315mm | 84996 | | |
| 1690-20400 | | | M20x400mm | 85977 | | |
| 1690-20500 | | | M20x500mm | 85001 | | |
| 1690-22100 | | | Stiftschraube straight stud |  | M22x100mm | 85019 |
| 1690-22125 | | | | | M22x125mm | |
| 1690-22160 | | | | | M22x160mm | 81539 |
| 1690-22200 | | | | | M22x200mm | 86579 |
| 1690-22250 | | | | | M22x250mm | 81554 |
| 1690-22315 | | | | | M22x315mm | 86595 |
| 1690-22400 | | | | | M22x400mm | 85027 |
| 1690-24100 | M24x00mm | 85035 | | | | |
| 1690-24125 | M24x125mm | 85563 | | | | |
| 1690-24160 | M24x160mm | 81570 | | | | |
| 1690-24200 | M24x200mm | 85514 | | | | |
| 1690-24250 | M24x250mm | 81596 | | | | |
| 1690-24315 | M24x315mm | 86009 | | | | |
| 1690-24400 | M24x400mm | 85043 | | | | |
| 1690-24500 | M24x500mm | 86025 | | | | |
| 1690-24630 | M24x630mm | 85050 | | | | |
| 1690-30125 | Stiftschraube straight stud |  | M30x125mm | 85068 | | |
| 1690-30200 | | | M30x200mm | 81612 | | |
| 1690-30250 | | | M30x250mm | | | |
| 1690-30315 | | | M30x315mm | 81620 | | |
| 1690-30500 | | | M30x500mm | 81638 | | |
| 1690-30700 | | | M30x700mm | 81646 | | |
| 1690-301000 | | | M30x1000mm | 81661 | | |
| 1690-36160 | | | M36x160mm | 85076 | | |
| 1690-36200 | | | M36x200mm | 81653 | | |
| 1690-36250 | | | M36x250mm | 85084 | | |
| 1690-36315 | | | M36x315mm | 85555 | | |
| 1690-36400 | | | M36x400mm | 85092 | | |
| 1690-36500 | | | M30x500mm | 81679 | | |
| 1690-36700 | | | M36x700mm | 81687 | | |
| 1690-42315 | | | M42x315mm | 85589 | | |
| 1690-42400 | | | M42x400mm | 85597 | | |
| 1690-42500 | M42x500mm | 85530 | | | | |
| 1710-0608 | Mutter für T-Nuten, lang long T-clamp |  | M6x8 | 84657 | | |
| 1710-0810 | | | M8x10 | 84665 | | |
| 1710-1012 | | | M10x12 | 84673 | | |
| 1710-1214 | | | M12x14 | 84681 | | |
| 1710-1416 | | | M14x16 | 84699 | | |
| 1710-1618 | | | M16x18 | 84707 | | |
| 1710-1820 | | | M18x20 | 84715 | | |
| 1710-2022 | | | M20x22 | 84723 | | |
| 1710-2224 | | | M22x24 | | | |
| 1710-2428 | | | M24x28 | 84749 | | |
| 1710-3036 | | | M30x36 | 84764 | | |
| 1730-06 | | | Muttern-Rohling für T-Nuten T-clamp without hole |  | (a) 6mm | 84509 |
| 1730-08 | | | | | (a) 8mm | 84517 |
| 1730-10 | (a) 10mm | 84525 | | | | |
| 1730-12 | (a) 12mm | 84533 | | | | |
| 1730-14 | (a) 14mm | 84541 | | | | |
| 1730-16 | (a) 16mm | 84558 | | | | |
| 1730-18 | (a) 18mm | 84566 | | | | |

| | | | | |
|------------|--|---|------------------------------------|---|
| 1730-20 | |  | (a) 20mm | 84574 |
| 1730-22 | | | (a) 22mm | 84582 |
| 1730-24 | | | (a) 24mm | 84590 |
| 1730-28 | | | (a) 28mm | 84608 |
| 1730-36 | | | (a) 36mm | 84632 |
| 1750-0608 | Mutter für T-Nuten T-clamp |  | M6x8 | 80010 |
| 1750-0810 | | | M8x10 | 80028 |
| 1750-0812* | | | M8x12 | 140301 |
| 1750-1012 | | | M10x12 | 80036 |
| 1750-0814* | | | M8x14 | 140327 |
| 1750-1014* | | | M10x14 | 80234 |
| 1750-1214 | | | M12x14 | 80044 |
| 1750-0816* | | | M8x16 | 153460 |
| 1750-1016* | | | M10x16 | 80366 |
| 1750-1216* | | | M12x16 | 80168 |
| 1750-1416* | | | M14x16 | 80051 |
| 1750-0818* | | | M8x18 | 153478 |
| 1750-1018* | | | M10x18 | 81265 |
| 1750-1218* | | | M12x18 | 158907 |
| 1750-1418* | | | M14x18 | 80176 |
| 1750-1618 | | | M16x18 | 80069 |
| 1750-1620* | | | M16x20 | 80184 |
| 1750-1820* | | | M18x20 | 80077 |
| 1750-1622* | | | M16x22 | 155630 |
| 1750-1822* | | | M18x22 | 80242 |
| 1750-2022 | M20x22 | 80085 | | |
| 1750-1624* | M16x24 | 159418 | | |
| 1750-2024* | M20x24 | 80192 | | |
| 1750-2224 | M22x24 | 80093 | | |
| 1750-1628* | M16x28 | 159426 | | |
| 1750-2028* | M20x28 | 158899 | | |
| 1750-2228* | M22x28 | 80358 | | |
| 1750-2428 | M24x28 | 80101 | | |
| 1750-2436* | M24x36 | 80218 | | |
| 1750-3036 | M30x36 | 80127 | | |
| 1770-0810 | Mutter für T-Nut "Rhombus" graded T-clamp |  | M8x10 | 87411 |
| 1770-1012 | | | M10x12 | 80259 |
| 1770-1014* | | | M10x14 | 158220 |
| 1770-1214 | | | M12x14 | 80267 |
| 1770-1416 | | | M14x16 | 80275 |
| 1770-1018* | | | M10x18 | 158238 |
| 1770-1618 | | | M16x18 | 80283 |
| 1770-1620* | | | M16x20 | 80341 |
| 1770-1820 | | | M18x20 | 80291 |
| 1770-1622* | | | M16x22 | 158246 |
| 1770-2022 | | | M20x22 | 80309 |
| 1770-1628* | | | M16x28 | 158253 |
| 1770-2028* | | | M20x28 | 84731 |
| 1770-2428 | | | M24x28 | 80317 |
| 1790-06 | | | Sechskantmutter hexagon nut |  |
| 1790-08 | M8 | 82370 | | |
| 1790-10 | M10 | 82388 | | |
| 1790-12 | M12 | 82396 | | |
| 1790-14 | M14 | 82404 | | |
| 1790-16 | M16 | 82412 | | |
| 1790-18 | M18 | 82420 | | |
| 1790-20 | M20 | 82438 | | |
| 1790-22 | M22 | 82446 | | |
| 1790-24 | M24 | 82453 | | |
| 1790-30 | M30 | 82479 | | |

| | | | | |
|---------|---|---|-----------|-------|
| 1790-36 | | | M36 | 82487 |
| 1810-08 | Sechskantmutter mit Bund nut with washer |  | M8 | 82537 |
| 1810-10 | | | M10 | 82545 |
| 1810-12 | | | M12 | 82552 |
| 1810-14 | | | M14 | 82560 |
| 1810-16 | | | M16 | 82578 |
| 1810-18 | | | M18 | 82586 |
| 1810-20 | | | M20 | 82594 |
| 1810-22 | | | M22 | 82602 |
| 1810-24 | | | M24 | 82610 |
| 1810-30 | | | M30 | 82636 |
| 1830-06 | Verlängerungsmutter extension nut |  | M6 | 82651 |
| 1830-08 | | | M8 | 82669 |
| 1830-10 | | | M10 | 82677 |
| 1830-12 | | | M12 | 82685 |
| 1830-14 | | | M14 | 82693 |
| 1830-16 | | | M16 | 82701 |
| 1830-18 | | | M18 | 82719 |
| 1830-20 | | | M20 | 82727 |
| 1830-22 | | | M22 | 82735 |
| 1830-24 | | | M24 | 82743 |
| 1830-30 | M30 | 82768 | | |
| 1830-36 | M36 | 82776 | | |
| 1850-08 | Sechskantmuttereinheit mit beweglichem Kopf ball head nut |  | M8 | |
| 1850-10 | | | M10 | |
| 1850-12 | | | M12 | |
| 1850-16 | | | M16 | |
| 1850-20 | | | M20 | |
| 1850-24 | | | M24 | |
| 1870-06 | Scheibe washer |  | M6 - 1/4 | 82818 |
| 1870-08 | | | M8 - 5/16 | 82826 |
| 1870-10 | | | M10 - 3/8 | 82834 |
| 1870-12 | | | M12 - 1/2 | 82842 |
| 1870-14 | | | M14 | 82859 |
| 1870-16 | | | M16 - 5/8 | 82867 |
| 1870-18 | | | M18 | 82875 |
| 1870-20 | | | M20 - 3/4 | 82883 |
| 1870-22 | | | M22 - 7/8 | 82891 |
| 1870-24 | | | M24 - 7/8 | 82909 |
| 1870-30 | M30 - 11/8 | 82925 | | |
| 1870-36 | M36 - 11/4 | 82933 | | |
| 1890-06 | Kugelscheibe rad-top washer |  | M6 | 82828 |
| 1890-08 | | | M8 | 81737 |
| 1890-10 | | | M10 | 81745 |
| 1890-12 | | | M12 | 81752 |
| 1890-14 | | | M14 | 81760 |
| 1890-16 | | | M16 | 81778 |
| 1890-20 | | | M20 | 81786 |
| 1890-24 | | | M24 | 81794 |
| 1890-30 | | | M30 | 81802 |
| 1890-36 | | | M36 | 81810 |
| 1910-06 | Kegelscheibe / Kegelpfanne graded washer |  | M6 | 81950 |
| 1910-08 | | | M8 | 81869 |
| 1910-10 | | | M10 | 81877 |
| 1910-12 | | | M12 | 81885 |
| 1910-14 | | | M14 | 81893 |
| 1910-16 | | | M16 | 81901 |
| 1910-20 | | | M20 | 81919 |
| 1910-24 | | | M24 | 81927 |
| 1910-30 | M30 | 81935 | | |


| | | | | | |
|-------------|---|---|--|--|-------|
| 1910-36 | | | M36 | 81943 | |
| 1930-06 | Kegelscheibe / Kegelpfanne graded washer |  | M6 | 82073 | |
| 1930-08 | | | M8 | 81984 | |
| 1930-10 | | | M10 | 81992 | |
| 1930-12 | | | M12 | 82008 | |
| 1930-14 | | | M14 | 82016 | |
| 1930-16 | | | M16 | 82024 | |
| 1930-20 | | | M20 | 82032 | |
| 1930-24 | | | M24 | 82040 | |
| 1930-30 | | | M30 | 82057 | |
| 1930-36 | | | | M36 | 82065 |
| 1950-1214 | Nutenräumer |  | (a) 12-14 | | |
| 1950-1618 | T-slot scraper | | (a) 16-18 | | |
| 1950-2022 | | | (a) 20-22 | | |
| 1950-2428 | | | (a) 24-28 | | |
| 1960-110 | Modular T-Block modular T-blocok |  | (a) 14-16-18-20 "T" Slot works in | | |
| 1970-10 | Spanneisenhalter federnd for lifting the washer |  | M10 | | |
| 1970-12 | | | M12 | | |
| 1970-14 | | | M14 | | |
| 1970-16 | | | M16 | | |
| 1970-18 | | | M18 | | |
| 1970-20 | | | M20 | | |
| 1970-22 | | | M22 | | |
| 1970-24 | M24 | | | | |
| 1990-1012 | Spannelemente-Satz screwed coupling set with lifter |  | M10x12 | | |
| 1990-1214 | | | M12x14 | | |
| 1990-1416 | | | M14x16 | | |
| 1990-1618 | | | M16x18 | | |
| 1990-1820 | | | M18x20 | | |
| 1990-2022 | | | M20x22 | | |
| 2010-1012 | Spannelemente-Satz coupling set with serrated hell block |  | M10x12 | | |
| 2010-1214 | | | M12x14 | | |
| 2010-1416 | | | M14x16 | | |
| 2010-1618 | | | M16x18 | | |
| 2010-1820 | | | M18x20 | | |
| 2020-120125 | Spannkette fixture chain |  | Für zylindrische und ovale Teile / Einsatz T-Nut 14-16-18 mm und Platten mit M12 for cylindric and oval parts / application t-nut 14-16-18 mm and plates with M12 | 87601 | |
| 2020-120250 | | | | | |
| 2020-120500 | | | | | |
| 2020-121000 | | | | | |
| 2020-160125 | | | | Für zylindrische und ovale Teile / Einsatz T-Nut 18-20-22-24 mm und Platten mit M16 for cylindric and oval parts / application t-nut 18-20-22-24 mm and plates with M16 | 87627 |
| 2020-160250 | | | | | |
| 2020-160500 | | | | | |
| 2020-161000 | | | | | |
| 2020-12125 | Verstelleinheit setting unit |  | Für Spannkette 2020- for the fixture chain 2020- | 374710 | |
| 2020-16162 | | | | 374728 | |
| 2020-12127 | Hakeneinheit hook unit | | Für Spannkette 2020- for the fixture chain 2020- | 374934 | |
| 2020-16170 | | | | 374959 | |
| 2030-14 | Seiten-Spannbacken-Set abgestuft graded side wrench set |  | (a) 14mm "T" Slot works in | | |
| 2030-16 | | | (a) 16mm "T" Slot works in | | |
| 2030-18 | | | (a) 18mm "T" Slot works in | | |
| 2030-20 | | | (a) 20mm "T" Slot works in | | |
| 2030-22 | | | (a) 22mm "T" Slot works in | | |
| 2030-24 | | | (a) 24mm "T" Slot works in | | |
| 2030-28 | | | (a) 28mm "T" Slot works in | | |











| | | | | |
|----------|--|---|---|-------|
| 2035-14 | Seiten-Spannbacke abgestuft |  | (a) 14mm "T" Slot works in (Small Clamp) | |
| 2035-16 | | | (a) 16mm "T" Slot works in (Small Clamp) | |
| 2035-18 | | | (a) 18mm "T" Slot works in (Big Clamp) | |
| 2035-20 | | | (a) 20mm "T" Slot works in (Big Clamp) | |
| 2035-22 | | | (a) 22mm "T" Slot works in (Big Clamp) | |
| 2035-24 | | | (a) 24mm "T" Slot works in (Big Clamp) | |
| 2035-28 | graded side wrench | | (a) 28mm "T" Slot works in (Big Clamp) | |
| 2040-14 | Seiten-Spannbacke abgestuft |  | (a) 14mm "T" Slot works in (Small Clamp Rest) | |
| 2040-16 | | | (a) 16mm "T" Slot works in (Small Clamp Rest) | |
| 2040-18 | | | (a) 18mm "T" Slot works in (Big Clamp Rest) | |
| 2040-20 | | | (a) 20mm "T" Slot works in (Big Clamp Rest) | |
| 2040-22 | | | (a) 22mm "T" Slot works in (Big Clamp Rest) | |
| 2040-24 | | | (a) 24mm "T" Slot works in (Big Clamp Rest) | |
| 2040-28 | graded side wrench | | (a) 28mm "T" Slot works in (Big Clamp Rest) | |
| 2050-14 | Seiten-Spannbacken-Set (parallel) abgestuft |  | (a) 14mm "T" Slot works in | |
| 2050-16 | | | (a) 16mm "T" Slot works in | |
| 2050-18 | | | (a) 18mm "T" Slot works in | |
| 2050-20 | | | (a) 20mm "T" Slot works in | |
| 2050-22 | | | (a) 22mm "T" Slot works in | |
| 2050-24 | | | (a) 24mm "T" Slot works in | |
| 2050-28 | graded side wrench set (with parallel) | | (a) 28mm "T" Slot works in | |
| 2055-14 | Seiten-Spannbacke (parallel) abgestuft |  | (a) 14mm "T" Slot works in (Small parallel with a Clamp) | |
| 2055-16 | | | (a) 16mm "T" Slot works in (Small parallel with a Clamp) | |
| 2055-18 | | | (a) 18mm "T" Slot works in (Big parallel with a Clamp) | |
| 2055-20 | | | (a) 20mm "T" Slot works in (Big parallel with a Clamp) | |
| 2055-22 | | | (a) 22mm "T" Slot works in (Big parallel with a Clamp) | |
| 2055-24 | | | (a) 24mm "T" Slot works in (Big parallel with a Clamp) | |
| 2055-28 | graded side wrench (with parallel) | | (a) 28mm "T" Slot works in (Big parallel with a Clamp) | |
| 2060-14 | Seiten-Spannbacke (parallel) abgestuft |  | (a) 14mm "T" Slot works in (Small parallel with a Clamp Rest) | |
| 2060-16 | | | (a) 16mm "T" Slot works in (Small parallel with a Clamp Rest) | |
| 2060-18 | | | (a) 18mm "T" Slot works in (Big parallel with a Clamp Rest) | |
| 2060-20 | | | (a) 20mm "T" Slot works in (Big parallel with a Clamp Rest) | |
| 2060-22 | | | (a) 22mm "T" Slot works in (Big parallel with a Clamp Rest) | |
| 2060-24 | | | (a) 24mm "T" Slot works in (Big parallel with a Clamp Rest) | |
| 2060-28 | graded side wrench (with parallel) | | (a) 28mm "T" Slot works in (Big parallel with a Clamp Rest) | |
| 2070-14 | Seiten-Gleit-Spannbacken- Set |  | (a) 14mm "T" Slot works in | |
| 2070-16 | | | (a) 16mm "T" Slot works in | |
| 2070-18 | | | (a) 18mm "T" Slot works in | |
| 2070-20 | | | (a) 20mm "T" Slot works in | |
| 2070-22 | | | (a) 22mm "T" Slot works in | |
| 2075-14 | Seiten-Gleit-Spannbacken |  | (a) 14mm "T" Slot works in (Small Clamp) | |
| 2075-16 | | | (a) 16mm "T" Slot works in (Small Clamp) | |
| 2075-18 | | | (a) 18mm "T" Slot works in (Big Clamp) | |
| 2075-20 | | | (a) 20mm "T" Slot works in (Big Clamp) | |
| 2075-22 | | | (a) 22mm "T" Slot works in (Big Clamp) | |
| 2090-14 | Seiten-Arm-Spannbacken- Set |  | (a) 14mm "T" Slot works in | |
| 2090-16 | | | (a) 16mm "T" Slot works in | |
| 2090-18 | | | (a) 18mm "T" Slot works in | |
| 2090-20 | | | (a) 20mm "T" Slot works in | |
| 2090-22 | | | (a) 22mm "T" Slot works in | |
| 2090-24 | | | (a) 24mm "T" Slot works in | |
| 2090-28 | armed side press set | | (a) 28mm "T" Slot works in | |
| 2095-571 | Stabilspannbacken |  | Für T-Nut 14-16-18 mm for the t-nut 14-16-18 mm | 73213 |
| 2095-761 | block side press | | Für T-Nut 20-22-24-28 mm for the t-nut 20-22-24-28 mm | 73221 |
| 2095-572 | Stabilspannbacken |  | Für T-Nut 14-16-18 mm for the t-nut 14-16-18 mm | |
| 2095-762 | block side press | | Für T-Nut 20-22-24-28 mm for the t-nut 20-22-24-28 mm | |










| | | | | |
|-----------|--|---|--|-----------------------|
| 2098-571 | Gegenhalter |  | Für T-Nut 14-16-18 mm for the t-nut 14-16-18 mm | |
| 2098-761 | block stopper side press | | Für T-Nut 20-22-24-28 mm for the t-nut 20-22-24-28 mm | |
| 2098-572 | Gegenhalter |  | Für T-Nut 14-16-18 mm for the t-nut 14-16-18 mm | |
| 2098-762 | block stopper side press | | Für T-Nut 20-22-24-28 mm for the t-nut 20-22-24-28 mm | |
| 2110-12 | Seitenspanner mit 2 Backen side press clamp with double claw |  | (a) 12mm "T" Slot works in | 72959 |
| 2110-14 | | | (a) 14mm "T" Slot works in | 72967 |
| 2110-16 | | | (a) 16mm "T" Slot works in | 72975 |
| 2110-18 | | | (a) 18mm "T" Slot works in | 72991 |
| 2110-20 | | | (a) 20mm "T" Slot works in | 73007 |
| 2110-22 | | | (a) 22mm "T" Slot works in | 73015 |
| 2110-24 | | | (a) 24mm "T" Slot works in | 73023 |
| 2110-28 | (a) 28mm "T" Slot works in | 73031 | | |
| 2130-12 | Nutanschlag clamp rest |  | (a) 12mm "T" Slot works in | 73817 |
| 2130-14 | | | (a) 14mm "T" Slot works in | 73825 |
| 2130-16 | | | (a) 16mm "T" Slot works in | 73833 |
| 2130-18 | | | (a) 18mm "T" Slot works in | 73841 |
| 2130-20 | | | (a) 20mm "T" Slot works in | 73858 |
| 2130-22 | | | (a) 22mm "T" Slot works in | 73866 |
| 2130-24 | | | (a) 24mm "T" Slot works in | 73874 |
| 2130-28 | (a) 28mm "T" Slot works in | 73882 | | |
| 2150-08 | Seitenspanner in T-Nut in-slot side wrench |  | (a) 8mm "T" Slot works in | |
| 2150-10 | | | (a) 10mm "T" Slot works in | |
| 2150-12 | | | (a) 12mm "T" Slot works in | |
| 2150-14 | | | (a) 14mm "T" Slot works in | |
| 2150-16 | | | (a) 16mm "T" Slot works in | |
| 2150-18 | | | (a) 18mm "T" Slot works in | |
| 2150-20 | | | (a) 20mm "T" Slot works in | |
| 2150-22 | (a) 22mm "T" Slot works in | | | |
| 2170-12 | Flachspanner jaw clamp |  | (a) 12mm "T" Slot works in | 73098 |
| 2170-14 | | | (a) 14mm "T" Slot works in | 73106 |
| 2170-16 | | | (a) 16mm "T" Slot works in | 73114 |
| 2170-18 | | | (a) 18mm "T" Slot works in | 73122 |
| 2170-20 | | | (a) 20mm "T" Slot works in | |
| 2170-22 | | | (a) 22mm "T" Slot works in | 73080 |
| 2190-5055 | Keilspanner beidseitig side press with double opening |  | (a) 14 - 16 - 18 - 20 - 22 "T" Slot works in | |
| 2210-4954 | Keilspanner beidseitig side press with double opening | | (a) 14 - 16 - 18 - 20 - 22 "T" Slot works in | |
| 2230-028 | Parallelunterlagen-Set parallel set |  | 28 Pieces | 84095 |
| 2250-016 | Parallelunterlagen-Set parallel set |  | 16 Pieces | |
| 2270-140 | "V" Spannblock |  | for work pieces between $\varnothing 10$ - $\varnothing 120$ | |
| 2270-204 | "V" clamping block | | for work pieces between $\varnothing 15$ - $\varnothing 150$ | |
| 2290-120 | "X V" Spannblock |  | for work pieces between $\varnothing 10$ - $\varnothing 120$ | |
| 2290-150 | "X V" clamping block | | for work pieces between $\varnothing 15$ - $\varnothing 150$ | |
| 2295-090 | CNC 5-Achs Spann-Apparat |  | 21 - 35mm between the work piece is often | |
| 2295-115 | CNC 5 Axis Clamping Parts Apparatus | | 31 - 42mm between the work piece is often | |
| 2295-130 | | | 37 - 48mm between the work piece is often | |

| | | | |
|-----------------------------------|--|---|--|
| 2297-090 | CNC 5-Achs Spannpratze |  | CNC 5 Axis Clamping Parts Wedge |
| 2297-115 | CNC 5 Axis Clamping Parts | | |
| 2297-130 | Wedge | | |
| 2300-127130 | Schraubstock mit flexiblen Spannbacken Vice Grip |  | 0 - 130mm between the work piece is often |
| 2310-060 | Schraubstock beidseitig beweglich steel vice with double opening |  | 0 - 120mm between the work piece is often |
| 2310-078 | | | 0 - 180mm between the work piece is often |
| 2310-100 | | | 0 - 220mm between the work piece is often |
| 2310-125 | | | 0 - 260mm between the work piece is often |
| 2310-157 | | | 0 - 350mm between the work piece is often |
| 2330-127160 | Mechanischer Schraubstock mechanical steel vice |  | 0 - 160mm between the work piece is often |
| 2330-157200 | | | 0 - 200mm between the work piece is often |
| 2330-157300 | | | 0 - 300mm between the work piece is often |
| 2330-197300 | | | 0 - 300mm between the work piece is often |
| 2330-197400 | | | 0 - 400mm between the work piece is often |
| 2330-197500 | | | 0 - 500mm between the work piece is often |
| 2330-197600 > Auslauf - runout | | | 0 - 600mm between the work piece is often |
| 2335-127160 | MCM-Klemmbacken |  | 127x45 depth:7mm |
| 2335-157200 | MCM jaws with stopper | | 157x45 depth:7mm |
| 2335-197300 | MCM jaws with stopper | | 197x45 depth:7mm |
| 2340-127160 | MCM-Klemmbacken |  | 127x45 depth:7mmx34mm |
| 2340-157200 | MCM jaws with stopper | | 157x45 depth:7mmx34mm |
| 2340-197300 | MCM jaws with stopper | | 197x45 depth:7mmx34mm |
| 2345-127 | Schraubstock-Modular modular mechanical steel vice |  | bestehend aus 2 Teilen consists of 2 parts |
| 2350-160E | Pneumatik-Schraubstock pneumatic vice |  | with internal jaw; 0 - 160mm between the work piece is often. upper jaw with a backup; Until 310mm the work piece is often. |
| 2355-160E | Backe |  | The spare jaws are not included in the set. |
| 2370-051 | Pneumatik-Schraubstock pneumatic vice |  | with internal jaw; 0 - 70mm between the work piece is often. upper jaw with a backup; Until 135mm the work piece is often. |
| 2370-052 | | | with internal jaw; 0 - 135mm between the work piece is often. upper jaw with a backup; Until 205mm the work piece is often. |
| 2370-053 | | | with internal jaw; 0 - 200mm between the work piece is often. upper jaw with a backup; Until 300mm the work piece is often. |
| 2370-054 | | | with internal jaw; 0 - 250mm between the work piece is often. upper jaw with a backup; Until 360mm the work piece is often. |
| 2371-051 | Backe |  | The spare jaws are not included in the set. |
| 2371-052 | | | |
| 2371-053 | | | |
| 2371-054 | | | |
| 2375-092 | Mehrfachspannsystem, Blöck beidseitig beweglich group double opens steel vice |  | feingeschliffen, mehrfach verwendbar, Spannen von 1 oder mehreren Werkstücken mit einer Bewegung |
| 2375-192 | | | e ground, multifunctional, for clamping 1 or more than one workpieces with only 1 tool motion |
| 2375-342 | | | |
| 2375-442 | | | |

| | | | | | | |
|-----------|--|---|--|---|-----------|--|
| 2385-130 | Präzisions- Ausdrehwerkzeug precision hole making tool |  | Präzision 0,01 - Bearbeitung Durchmesser 9-130 mm und Tiefe 170 mm sensitivity 0,01 in diameter 9-130 mm and 170 mm depth | | | |
| 2390-010 | Ausdrehwerkzeug hole machining apparatus |  | ISO 30 | | | |
| 2390-015 | | | ISO40 | | | |
| 2390-020 | | | ISO 50 | | | |
| 2390-025 | | | BT 40 | | | |
| 2390-030 | | | BT 50 | | | |
| 2390-035 | | | SK 40 | | | |
| 2390-040 | | | SK 50 | | | |
| 2390-045 | | | MK 4 | | | |
| 2390-050 | | | MK 4 (cotter) | | | |
| 2390-055 | MK 5 | | | | | |
| 2390-060 | MK 5 (cotter) | | | | | |
| 2395-1 | Loch-Einsätze hole bars |  | 85mm (Ø18-95mm) - (depth: 50mm) | | | |
| 2395-2 | | | 95mm (Ø18-95mm) - (depth: 63mm) | | | |
| 2395-3 | | | 132mm (Ø20-100mm) - (depth: 100mm) | | | |
| 2395-4 | | | 135mm (Ø95-210mm) - (depth: 65mm) (side bar) | | | |
| 2400-010 | Spannfutter milling machine hatching headpiece holder |  | ISO 30 | | | |
| 2400-015 | | | ISO 40 | | | |
| 2400-020 | | | ISO 50 | | | |
| 2400-025 | | | BT 40 | | | |
| 2400-030 | | | BT 50 | | | |
| 2400-035 | | | SK 40 | | | |
| 2400-040 | | | SK 50 | | | |
| 2400-045 | | | MK 4 | | | |
| 2400-050 | | | MK 4 (cotter) | | | |
| 2400-055 | MK 5 | | | | | |
| 2400-060 | MK 5 (cotter) | | | | | |
| 2410-3016 | Werkzeugaufnahme milling machine hatching headpiece holder |  | ISO 30 x 16 | | | |
| 2410-3022 | | | ISO 30 x 22 | | | |
| 2410-3027 | | | ISO 30 x 27 | | | |
| 2410-3032 | | | ISO 30 x 32 | | | |
| 2410-4016 | | | ISO 40 x 16 | | | |
| 2410-4022 | | | ISO 40 x 22 | | | |
| 2410-4027 | | | ISO 40 x 27 | | | |
| 2410-4032 | | | ISO 40 x 32 | | | |
| 2410-4040 | | | ISO 40 x 40 | | | |
| 2410-5016 | | | ISO 50 x 16 | | | |
| 2410-5022 | | | ISO 50 x 22 | | | |
| 2410-5027 | | | ISO 50 x 27 | | | |
| 2410-5032 | | | ISO 50 x 32 | | | |
| 2410-5040 | | | ISO 50 x 40 | | | |
| 2415-0416 | | | Werkzeugaufnahme milling machine hatching headpiece holder |  | MK 4 x 16 | |
| 2415-0422 | | | | | MK 4 x 22 | |
| 2415-0427 | MK 4 x 27 | | | | | |
| 2415-0432 | MK 4 x 32 | | | | | |
| 2415-0516 | MK 5 x 16 | | | | | |
| 2415-0522 | MK 5 x 22 | | | | | |
| 2415-0527 | MK 5 x 27 | | | | | |
| 2415-0532 | MK 5 x 32 | | | | | |
| 2415-0540 | MK 5 x 40 | | | | | |
| 2420-0403 | Fräskopf milling machine hatching headpiece |  | Ø42 x 3 | | | |
| 2420-0503 | | | Ø50 x 3 | | | |
| 2420-0633 | | | Ø63 x 3 | | | |
| 2420-0634 | | | Ø63 x 4 | | | |
| 2420-0804 | | | Ø80 x 4 | | | |
| 2420-1005 | | | Ø100 x 5 | | | |
| 2420-06 | Ersatzschraube |  | 40-50-63 (for milling machine hatching headpiece) | | | |

| | | | | | | |
|--------------|---|---|--|---|----------------|--|
| 2420-08 | spare press screw |  | 80-100 (for milling machine hatching heahpiece) | | | |
| 2430-055300 | Mehrfachspanner multi jawed wrench tooling |  | (Pieces 2 can be connected) SM 55x300 | | | |
| 2430-055500 | | | (Pieces 4 can be connected) SM 55x500 | | | |
| 2430-075400 | | | (Pieces 2 can be connected) SM 75x400 | | | |
| 2430-075600 | | | (Pieces 4 can be connected) SM 75x600 | | | |
| 2430-100400 | | | (Pieces 2 can be connected) SM 100x400 | | | |
| 2430-100600 | | | (Pieces 3 can be connected) SM 100x600 | | | |
| 2435-055300 | Mehrfachspanner multi jawed wrench tooling |  | (Pieces can be connected) SM 55x300 | | | |
| 2435-055500 | | | (Pieces can be connected) SM 55x500 | | | |
| 2435-075400 | | | (Pieces can be connected) SM 75x400 | | | |
| 2435-075600 | | | (Pieces can be connected) SM 75x600 | | | |
| 2435-100400 | | | According to the catalog; may receive bids. | (Pieces can be connected) SM 100x400 | | |
| 2435-100600 | | | (Pieces can be connected) SM 100x600 | | | |
| 2450-415L | Spannbalken |  | 415 x 125mm | | | |
| 2450-615L | index table turret | | 615 x 160mm | | | |
| 2460- | Einsatz |  | center height : 135mm height changeable from center | | | |
| 2470-415K | Spannbalken |  | 415 x 85mm | | | |
| 2470-615K | index table turret | | 615 x 85mm | | | |
| 2490-7540014 | CNC Horizontale Aufspann-Palette |  | (a) 14mm 75x400 | | | |
| 2490-7550014 | | | (a) 14mm 75x500 | | | |
| 2490-7563014 | | | (a) 14mm 75x630 | | | |
| 2490-7540018 | | | (a) 18mm 75x400 | | | |
| 2490-7550018 | | | (a) 18mm 75x500 | | | |
| 2490-7563018 | | | (a) 18mm 75x630 | | | |
| 2510-7540012 | CNC Horizontale Aufspann-Palette |  | M12 75x400 | | | |
| 2510-7550012 | | | M12 75x500 | | | |
| 2510-7563012 | | | M12 75x630 | | | |
| 2510-7540016 | | | M16 75x400 | | | |
| 2510-7550016 | | | M16 75x500 | | | |
| 2510-7563016 | | | M16 75x630 | | | |
| 2520-7540012 | CNC Horizontale Aufspann-Palette |  | steel bush threads M12 75x400 | | | |
| 2520-7550012 | | | steel bush threads M12 75x500 | | | |
| 2520-7563012 | | | steel bush threads M12 75x630 | | | |
| 2520-7540016 | | | steel bush threads M16 75x400 | | | |
| 2520-7550016 | | | steel bush threads M16 75x500 | | | |
| 2520-7563016 | | | steel bush threads M16 75x630 | | | |
| 2530-040012 | CNC Vertikale Aufspann-Platte |  | M12 50x400x600 | | | |
| 2530-050012 | | | M12 50x500x600 | | | |
| 2530-060012 | | | M12 50x600x800 | | | |
| 2530-140012 | | | M12 50x400x800 | | | |
| 2530-145012 | | | M12 50x450x900 | | | |
| 2530-150012 | | | M12 50x500x1000 | | | |
| 2530-040016 | | | CNC vertical processing plate |  | M16 50x400x600 | |
| 2530-050016 | | | | | M16 50x500x600 | |
| 2530-060016 | | | | | M16 50x600x800 | |
| 2530-140016 | | | | | M16 50x400x800 | |
| 2530-145016 | M16 50x450x900 | | | | | |
| 2530-150016 | M16 50x500x1000 | | | | | |
| 2540-040012 | CNC Vertikale Aufspann-Platte |  | steel bush threads M12 50x400x600 | | | |
| 2540-050012 | | | steel bush threads M12 50x500x600 | | | |
| 2540-060012 | | | steel bush threads M12 50x600x800 | | | |
| 2540-140012 | | | steel bush threads M12 50x400x800 | | | |
| 2540-145012 | | | steel bush threads M12 50x450x900 | | | |
| 2540-150012 | | | steel bush threads M12 50x500x1000 | | | |

| | | | | |
|---------------|---|---|------------------------------------|--|
| 2540-040016 | CNC vertical processing plate |  | steel bush threads M16 50x400x600 | |
| 2540-050016 | | | steel bush threads M16 50x500x600 | |
| 2540-060016 | | | steel bush threads M16 50x600x800 | |
| 2540-140016 | | | steel bush threads M16 50x400x800 | |
| 2540-145016 | | | steel bush threads M16 50x450x900 | |
| 2540-150016 | | | steel bush threads M16 50x500x1000 | |
| 2550-040014 | CNC Vertikale Aufspann-Platte |  | (a) 14 60x400x600 | |
| 2550-050014 | | | (a) 14 60x500x600 | |
| 2550-060014 | | | (a) 14 60x600x800 | |
| 2550-140014 | | | (a) 14 60x400x800 | |
| 2550-145014 | | | (a) 14 60x450x900 | |
| 2550-150014 | | | (a) 14 60x500x1000 | |
| 2550-040018 | CNC vertical processing plate |  | (a) 18 75x400x600 | |
| 2550-050018 | | | (a) 18 75x500x600 | |
| 2550-060018 | | | (a) 18 75x600x800 | |
| 2550-140018 | | | (a) 18 75x400x800 | |
| 2550-145018 | | | (a) 18 75x450x900 | |
| 2550-150018 | | | (a) 18 75x500x1000 | |
| 2570-30012 | Aufspann-Winkel angle plate |  | M12 300x300x220 | |
| 2570-40012 | | | M12 400x400x280 | |
| 2570-50012 | | | M12 500x500x345 | |
| 2570-63012 | | | M12 630x630x435 | |
| 2570-30016 | | | M16 300x300x220 | |
| 2570-40016 | | | M16 400x400x280 | |
| 2570-50016 | | | M16 500x500x345 | |
| 2570-63016 | | | M16 630x630x435 | |
| 2575-30012 | Aufspann-Winkel angle plate |  | steel bush threads M12 300x300x220 | |
| 2575-40012 | | | steel bush threads M12 400x400x280 | |
| 2575-50012 | | | steel bush threads M12 500x500x345 | |
| 2575-63012 | | | steel bush threads M12 630x630x435 | |
| 2575-30016 | | | steel bush threads M16 300x300x220 | |
| 2575-40016 | | | steel bush threads M16 400x400x280 | |
| 2575-50016 | | | steel bush threads M16 500x500x345 | |
| 2575-63016 | | | steel bush threads M16 630x630x435 | |
| 2590-30014 | Aufspann-Winkel angle plate |  | (a) 14 300x300x220 | |
| 2590-40014 | | | (a) 14 400x400x280 | |
| 2590-50014 | | | (a) 14 500x500x345 | |
| 2590-63014 | | | (a) 14 630x630x435 | |
| 2590-30018 | | | (a) 18 300x300x220 | |
| 2590-40018 | | | (a) 18 400x400x280 | |
| 2590-50018 | | | (a) 18 500x500x345 | |
| 2590-63018 | | | (a) 18 630x630x435 | |
| 2610-400250 | CNC Horizontaler Aufspannturm CNC horizontal processing cube |  | 500x400x250 (without hole) | |
| 2610-500300 | | | 600x500x300 (without hole) | |
| 2610-630350 | | | 700x630x350 (without hole) | |
| 2630-40025014 | CNC Horizontaler Aufspannturm CNC horizontal processing cube |  | (a) 14 500x400x250 | |
| 2630-50030014 | | | (a) 14 600x500x300 | |
| 2630-63035014 | | | (a) 14 700x630x350 | |
| 2630-40025018 | | | (a) 18 500x400x250 | |
| 2630-50030018 | | | (a) 18 600x500x300 | |
| 2630-63035018 | | | (a) 18 700x630x350 | |
| 2650-40025012 | CNC Horizontaler Aufspannturm CNC horizontal processing cube |  | M12 500x400x250 | |
| 2650-50030012 | | | M12 600x500x300 | |
| 2650-63035012 | | | M12 700x630x350 | |
| 2650-40025016 | | | M16 500x400x250 | |
| 2650-50030016 | | | M16 600x500x300 | |
| 2650-63035016 | | | M16 700x630x350 | |
| 2660-40025012 | |  | steel bush threads M12 500x400x250 | |

| | | | | |
|---------------|--|---|------------------------------------|--|
| 2660-50030012 | CNC Horizontaler Aufspannturm |  | steel bush threads M12 600x500x300 | |
| 2660-63035012 | | | steel bush threads M12 700x630x350 | |
| 2660-40025016 | CNC horizontal processing cube | | steel bush threads M16 500x400x250 | |
| 2660-50030016 | | | steel bush threads M16 600x500x300 | |
| 2660-63035016 | | | steel bush threads M16 700x630x350 | |
| 2670-400150 | CNC Horizontaler Aufspannturm |  | 500x400x150 (without hole) | |
| 2670-500200 | CNC horizontal processing cube | | 600x500x200 (without hole) | |
| 2670-630250 | | | 700x630x250 (without hole) | |
| 2690-40015014 | CNC Horizontaler Aufspannturm |  | (a) 14 500x400x150 | |
| 2690-50020014 | | | (a) 14 600x500x200 | |
| 2690-63025014 | | | (a) 14 700x630x250 | |
| 2690-40015018 | | | (a) 18 500x400x150 | |
| 2690-50020018 | | | (a) 18 600x500x200 | |
| 2690-63025018 | | | (a) 18 700x630x250 | |
| 2710-40015012 | CNC Horizontaler Aufspannturm |  | M12 500x400x150 | |
| 2710-50020012 | | | M12 600x500x200 | |
| 2710-63025012 | | | M12 700x630x250 | |
| 2710-40015016 | | | M16 500x400x150 | |
| 2710-50020016 | | | M16 600x500x200 | |
| 2710-63025016 | | | M16 700x630x250 | |
| 2720-40015012 | CNC Horizontaler Aufspannturm |  | steel bush threads M12 500x400x150 | |
| 2720-50020012 | | | steel bush threads M12 600x500x200 | |
| 2720-63025012 | | | steel bush threads M12 700x630x250 | |
| 2720-40015016 | | | steel bush threads M16 500x400x150 | |
| 2720-50020016 | | | steel bush threads M16 600x500x200 | |
| 2720-63025016 | | | steel bush threads M16 700x630x250 | |
| 2730-016 | Tragschraube |  | M16x85mm | |
| 2730-020 | ringbolt for mould carrying | | M20x85mm | |
| 2750-044 | Tragschraube ringbolt for mould carrying |  | Ringbolt for Mould Carrying | |
| 2770-06 | Weiche Aufsatzbacke |  | 6"inc | |
| 2770-08 | | | 8"inc | |
| 2770-10 | | | 10"inc | |
| 2790-06 | Doppelter T-Nutenstein soft podous T-clamp |  | for soft podous 6"inc | |
| 2790-08 | | | for soft podous 8"inc | |
| 2790-10 | | | for soft podous 10"inc | |